Supporting Medical Conditions Policy				
Updated	November 2022			
Status	Statutory policy Delegated to the Pupil Outcomes Sub-Committee Updated every 2 years			
Review	November 2024			



Aims of the Policy

The aim of this policy is to enable regular attendance at school. Although the word 'parent' will be used throughout this policy, clearly this also means 'carer' where appropriate.

MANAGING PRESCRIPTION MEDICINES WHICH NEED TO BE TAKEN DURING THE SCHOOL DAY

Medicines should only be brought into school when it is essential. That is, when it would be detrimental to a child's health if the medicine were not administered during the school day. Many children will need to be able to take medicines during the day at some time during their time at school. This will usually be for a short period only, perhaps to finish a course of antibiotics or to apply a lotion. To allow children to do this will minimise the time that they need to be absent. However, such medicines should only be brought to school where it would be detrimental to a child's health if it were not administered during the school day.

Compass School will only be able to accept medicines which have been prescribed by the doctor, dentist, nurse prescriber or pharmacist prescriber and that need to be administered whereby necessitating a dosage being administered at school. Medicines will need to be provided in the original container as dispensed by a pharmacist and include the prescriber's instruction for administration.

WE WILL NOT BE ABLE TO ACCEPT MEDICINES WHICH HAVE BEEN TAKEN OUT OF THE CONTAINER AS ORIGINALLY DISPENSED NOR MAKE CHANGES TO DOSAGES ON PARENTAL INSTRUCTIONS.

It is helpful, where clinically appropriate, if medicines can be prescribed in dose frequencies which enable it to be taken outside school hours. Parents will be encouraged to ask the prescriber about this. Medicines that need to be taken three times a day could be taken in the morning, after school and at bedtime.

*All emergency medicines, such as asthma inhalers and adrenaline pens, should be readily available to children and should not be locked away.

Managing Prescription Medicines on Trips and Outings

Since we would always wish our pupils with medical needs to participate in trips and outings whenever possible, we need to consider for each visit what reasonable adjustments will have to be made to enable the children with medical needs to take part in safely managed visits. The risk assessment form which is completed prior to the visit will need to include the necessary steps to include children with medical needs, together with any particular risk assessments for those children.

It may be necessary for additional safety measures to be taken for outside visits. Arrangements for taking any necessary medicines will also need to be taken into consideration.

Staff supervising excursions should always be aware of any medical needs and the relevant emergency procedures if appropriate.

A copy of any health care plans should be taken on visits. The risk assessment form which is completed prior to the visit will need to include the necessary steps to include children with medical needs, together with any particular risk assessments for those children. It may be necessary for additional safety measures to be taken for outside visits. Arrangements for taking any necessary medicines will also need to be taken into consideration.

Staff supervising excursions should always be aware of any medical needs and the relevant emergency procedures if appropriate.

A copy of any health care plans should be taken on visits in the event of the information being needed in an emergency. It will be the responsibility of the parents to ensure that any medication children take with them on trips and outings is available and in date.

Sporting Activities

At Compass School, most children with medical conditions can, and indeed are positively encouraged to, participate in physical activities and extracurricular sport. However, any restrictions on a child's ability to participate in P.E. should be recorded in their individual health care plan. Some children may need to take precautionary measures before or during exercise and may also need to be allowed immediate access to their medicines such as asthma inhalers. Health care plans are completed and update regularly for children who have conditions such as asthma, epilepsy, diabetes or anaphylaxis.

ROLES AND RESPONSIBILITIES OF STAFF MANAGING THE ADMINISTRATION OF MEDICINES AND FOR ADMINISTERING OR SUPERVISING THE ADMINISTRATION OF MEDICINES

No child under 16 should be given medicines without their parent's written consent. Any member of staff giving medicines to a child should check:

- the child's name
- the prescribed dose
- the expiry date
- The written instructions provided by the prescriber on the label or container. *If in doubt about any procedure, staff should not administer the medicine but check with the parents or a health professional before taking further action.

However, in the event of an emergency, and particularly for those pupils who have a care plan, the procedure outlined in the care plan will be followed.

Each time a medicine is given to a child, the member of staff administering the medicine must complete and record it. The forms for this purpose are held in the appropriated folder in the school office. By completing these forms, we are demonstrating that we have exercised a duty of care.

All medicines, apart from asthma inhalers and other medicines which have been identified as being necessary for the pupil to have with them at all times, will be handed in to the school office. It may then be necessary to refrigerate the medicine, or lock it away in a medicine cupboard. Medicines which need to be refrigerated will be kept in the refrigerator. There will be restricted access to this refrigerator. The medicines in here will need to be stored in their original containers and clearly labelled.

*The parent of the child taking the medicine will be asked to complete a parental consent form in order for the medicine to be taken at school. Parents should tell us about the medicines that their children need to take and provide details of any changes to the prescription or the support required.

Refusing Medicines

If a child refuses to take medicine, staff should not force them to do so, but should note this in the records. Parents should be informed of the refusal on the same day. If refusal to take medicines results in an emergency, the school's emergency procedures should be followed.

PARENTAL RESPONSIBILITIES IN RESPECT OF THEIR CHILD'S MEDICAL NEEDS

Parents should tell the school about the medicines that their child needs to take and provide details of any changes to the prescription, this needs to be supported by a letter from the GP. However, staff will also need to make sure that this information is the same as that provided by the prescriber and are consistent with the instructions on the container. Parents will also need to provide the school with any information relating to predisposed conditions which we need to be made aware of. Medicines should always be provided in the original container as dispensed by a pharmacist and include the prescriber's instructions. In all cases it is necessary to check that written details include:

- child's name
- · name of the medicine
- dose
- method of administration
- time/frequency of administration
- any possible side effects
- expiry date

SITUATIONS IN WHICH CHILDREN MAY TAKE ANY NON-PRESCRIPTIVE MEDICINES

Non-prescribed medicines will only be administered to pupils at Compass School when it would be detrimental to the pupil's health or attendance not to do so and where we have parents written consent. If a child is suffering regularly from frequent or acute pain, the parents should be encouraged to refer the matter to the child's GP.

Parents will be contacted before any non-prescriptive medicines are administered to confirm the time given and that the recommended dosage is not exceeded in anyway.

A CHILD UNDER 16 SHOULD NEVER BE GIVEN ASPIRIN OR MEDICINES CONTAINING IBUPROFEN UNLESS PRESCRIBED BY A DOCTOR. THEREFORE, WE WILL NOT BE ABLE TO ADMINISTER THESE MEDICINES WITHOUT A DOCTOR'S PRESCRIPTION.

Long Term Medical Needs

It is important to have sufficient information about the medical condition of any child with long-term medical needs. A health care plan for these children, involving the parents and the relevant health professionals, will enable the appropriate support to be provided. The health care plan will include:

- details of the child's condition
- any special requirement e.g. dietary needs, pre-activity precautions

- any side-effects of the medicines
- what constitutes an emergency
- what action to take in an emergency
- what not to do in the event of an emergency who to contact in and emergency the role the staff can play.

Staff Training

Staff regularly have training in a variety of health issues, including the use of epi-pens, the treatment of general injuries, diabetes awareness etc. First Aid training is also available to staff. Designated First Aiders are trained by First Aid organisations and certificates are a recognised award. First Aid training is kept up to date. Staff are also aware of the procedure for cleaning a wound, the type of dressing to apply and understand the need to contact parents in an emergency.

First Aid Kits

These are checked an updated regularly and are in clearly marked positions around school.

Supporting Medical Conditions Amendment in response to COVID-19

Advise for First Aiders

1. Be aware of the risks to yourself and others

When approaching a casualty there is always a risk of cross contamination – especially when you may have to get close to the casualty to assess what is wrong or to check their breathing. It is always important to be aware of the risks of how this cross contamination has occurred. According to NHS 111 we do not know exactly how coronavirus spreads from person to person but similar viruses are spread in cough droplets.

2. Keep yourself safe

In line with government advice, make sure you wash your hands or use an alcohol gel, before and after treating a casualty also ensure that you don't cough or sneeze over a casualty when you are treating them.

- Don't lose sight of other cross contamination that could occur that isn't related to COVID-19.
- Wear gloves or cover hands when dealing with open wounds
- Cover cuts and grazes on your hands with waterproof dressing
- Dispose of all waste safely
- Do not touch a wound with your bare hand
- Do not touch any part of a dressing that will come in contact with a wound.

See Guide to Donning and Doffing Standard PPE – see page 44

3. Give early treatment

The vast majority of incidents do not involve you getting close to a casualty where you would come into contact with cough droplets. Sensible precautions will ensure you are able to treat a casualty effectively.

Advice for Reopening School

Pupils showing any symptoms of Covid -19 must be taken to the Isolation rooms (Bubble Room in North Zone and Pastoral Office in West Zone) where they are to await urgent collection by their parent/carer.

4. Keep yourself informed and updated

As this is a new disease this is an ever changing situation and the government and NHS are continually updating their advice. Make sure that you regularly review the NHS 111 or Gov.uk website which has a specific section on Coronavirus.

- o Click here to visit NHS 111
- o Click here to visit Gov.uk
- o Click here to visit Resuscitation Council

5. Remember your own needs

These are challenging and uncertain times for all. The COVID-19 outbreak has meant a lot of upheaval and worry for people. In order to help others, you will also need to look after your own needs. Make sure you take time to talk about your fears and concerns with someone you trust and to take out time to look after yourself.

Advice for First Aiders

On attending any casualty for whatever reason, PPE should be worn to protect yourself and the casualty. PPE equipment is stored in each Isolation room and also in the Head teachers Office. This should be removed as soon as possible afterwards and disposed of in a yellow hazardous refuse bag.

If the first aider believes a Pupil may be showing symptoms of Covid-19, they should remove the child to the isolation area. The first aider should contact the parent/carer and arrange with them the urgent collection of their child. Current Government advice regarding self-isolation will apply to the family (the child should self-isolate for 7 days and the whole family for 14 days).

Follow PHE Guidance for Childcare and Educational Settings in the Management of COVID-19 see page 45

Once the child has been collected, staff must notify the Site Manager/Cleaners so that the room will be cleaned thoroughly immediately. Please also inform the Attendance Officer so that they are aware that the pupil will have to self-isolate.

First Aid

A duty first aider will be on each campus to cover any medical emergencies whilst you are at work. Please remember that a first aider may have to break social distancing guidance to assist you or a Pupil. The first aider will be required to wear full PPE, including face mask, visor, gloves and apron. If there is an immediate threat to life, e.g. cardiac arrest, the first aider will have to break Social Distancing guidance to respond to the immediate emergency to save life.

- A fully equipped first aid kit will be located in the reception area to ensure adequate supplies are available to the first aider as well as PPE equipment.
- If a pupil is complaining of feeling unwell the first aider should be called. The first aider will check the pupil's temperature if they deem it necessary. If the pupil is found to have a high temperature (37.8) the first aider will contact home and make arrangements for the Pupil to be collected.
- If the first aider believes the pupil may be showing symptoms of covid-19 they should remove the child to the isolation area (Bubble Room in North Zone and Pastoral Office in West Zone). Parents/carers should be contacted and asked to arrange collection of their child urgently. The first aider will dispose of all PPE worn into a yellow waste bag for disposal. Once the child has been collected the isolation room will be cleaned by the site team.
- In the event of a pupil suffering an injury, the first aider may be required to break social distancing rules in order to treat the injury. Contact will be made with the pupil's parent/carer to inform them of any close contact treatment given.
- Where possible the first aider should pass the necessary equipment to the pupil for them to apply, for instance a wipe and plaster for a small cut/graze or an ice pack for a soft tissue injury.

Medication

- Pupils will not be allowed to take medication in school with the exception of Asthma Inhalers or Adrenaline injectors.
- At this stage in our reopening plans pupils will only be in school for a 3 hour session and any medication should be planned around this and not brought into school.

Testing Kits

The school will receive an initial supply of 10 test kits. These test kits should only be used in
the exceptional circumstance that an individual becomes symptomatic and you believe they
may have barriers to accessing testing elsewhere. The best and fastest way for students or
staff to get a test result is to visit a testing site.

Contacting Emergency Services

Dial 999, ask for an ambulance and be ready with the following information:

1. Your telephone number:

023 80215320

2. Give your location as follows:

Compass School Green Lane Millbrook SO16 9FQ

- 3. Give exact location in the school of the person needing help.
- 4. Give your name.
- 5. Give the name of the person needing help.
- 6. Give a brief description of the person's symptoms (and any known medical condition).
- 7. Inform ambulance control of the best entrance and state that the crew will be met at this entrance and taken to the pupil.
- 8. Do not hang up until the information has been repeated back to you.
- 9. Ideally the person calling should be with the child, as the emergency services may give first aid instruction
- 10. Never cancel an ambulance once it has been called.

Speak clearly and slowly

Compass School

Register of medication administered in school

Date	Time	Child's Name	Class	Name of Medicine	Dose Given	Any Reactions	Signed



Individual Health Care Plan Allergies / Anaphylaxis

This plan relates to the health care needs provided to this school to the child / young person named below in relation to the safe management of the condition above. School staff involved in the day to day care of this child should be made familiar with the contents of this plan so they are aware of when they need to act, and what they and others need to do.

Child:	Date of Birth:
Clas:	
, ,	the most extreme form, anaphylactic shock, occurs because is inappropriately in response to the presence of a substance reat.
Anaphylaxis	s Campaign
Emergency Contact details:	
Contact 1	
Name:	
Relationship:	
Contact numbers:	
Contact 2 Name:	
Relationship:	
Contact numbers:	

Possible symptoms of allergic reactions

A 1		4.1					4.5
Δ	lıtΔ	thr	'A ata	anır	\mathbf{a}	reac	tion.
		U 11	Can		IU.	1 Gau	·uoii

Airway	- Tightness or a lump in the throat, hoarse voice, hacking cough.
Breathing	- Short of breath, cough, not able to speak in full sentences, noisy breathing, wheezing.
Conscious level	- Feeling faint, weakness or floppiness, glazed expression, unconscious.
Deterioration	- Symptoms getting steadily worse.

If a child is having a life threatening reaction

- 1. Give Autoinjector in the outer thigh muscle.
- 2. Once the Autoinjector has been given, **Dial 999 for the ambulance**. even if the child is making a good recovery
- **3.** If the child is conscious and having breathing difficulties, help them to sit up. If they are faint or floppy, they are better lying flat with their legs raised up.
- 4. Repeat dose in 5 -10 mins if continued deterioration often given by the ambulance crew

A non-life threatening reaction

Eyes	- itchy, runny, swollen
Nose	- Itchy, runny, congested
Mouth	- itchy or swollen lips or mouth
Skin	- itchy hives or nettle rash, redness, swelling of the face or other parts of the body
Gut	- nausea, stomach cramps, vomiting, diarrhoea

If the child is having a non-life threatening reaction:

- 1. Give Antihistamine syrup or tablet
- 2. The child should Rest and
 - Not do strenuous exercise
 - Not eat a heavy meal.
 - Not have any form of fizzy drink.
 - **Not** have a hot bath or shower
- 3. Contact the parents or guardian
- 4. Do not leave the child alone as the severity of symptoms can change quickly

Emergency care

Please fill in this section	n if your child has been prescribed em	ergency medication for their allergy.
Child's name:		
Class:		
Name and strength	of medication	
When should medic	cation be given?	
How much medicati	ion should initially be given?	
What action should	be taken if medication is given?	
what action should	be taken if medication is given?	
What action should	be taken if medication is not effe	ective?
Signed:	Name:	Date:

Non-Emergency Allergic Reactions in your child at school
What causes the allergy/ what is your child allergic to?
Any other health conditions:
Early warning signs/Symptoms of child's allergic reaction,
What action should be taken if the child has an allergic reaction?
What can be done to help prevent or minimise allergic reaction?

Medications given at home (please include all medication)

Is this prescribed for allergy?	Strength/Amount given	Times given

Medication to be given in school

Is this prescribed for allergy	Strength/Amount given	Times to be given

Heath care plan ag	greed by:		
Parent/carer:		Date:	
Healthcare professi	onal:	Date:	
Member of school s	taff:	Date:	
needs and shoul This care plan wi staff in school th	d update the school as ne	nore often if required, it will be sl d's care. Copies will be kept in t	hared with
Plan reviewed			
Ву:	Designation:	Date:	
Ву:	Designation:	Date:	
Ву:	Designation:	Date:	
and should update	e the school as necessary.	hat the school is aware of their ch	
school that are inv	<u> </u>	often if required, it will be shared we pies will be kept in the school office	
Plan reviewed			
Ву:	Designation:	Date:	
Ву:	Designation:	Date:	
Ву:	Designation:	Date:	

Individual Health Care Plan Asthma



This plan relates to the health care needs provided to this school to the child / young person named below in relation to the safe management of the condition above. School staff involved in the day to day care of this child should be made familiar with the contents of this plan so they are aware of when they need to act, and what they and others need to do.

Child:	Date of Birth:
Class:	
trigger), the muscles around the wa	into contact with something that irritates their airways (an asthma alls of the airways tighten so that the airways become narrower e inflamed and starts to swell making it difficult to breathe.
Asthma UK	
Emergency Contact details:	
Contact 1	
Name:	
Relationship:	
Contact numbers:	
Contact 2	
Name:	
Relationship:	

Emergency care

What action should be taken if inhaler is	not effective?
What action should be taken if inhaler is	given?
How much medication should initially be	given?
When should inhaler be given?	
Name and strength of inhaler	
Class:	
Child's name:	prescribed emergency medication for their asthma.

Emergency Inhalers

From 1st October 2014 the Human Medicines (Amendment) (No. 2) Regulations 2014 will allow schools to obtain, without a prescription, salbutamol inhalers, if they wish, for use in emergencies. This will be for any pupil with asthma, or who has been prescribed an inhaler as reliever medication. The inhaler can be used if the pupil's prescribed inhaler is not available (for example, because it is broken, or empty).

The emergency salbutamol inhaler can only be used by children, where parental consent for use of the emergency inhaler has been given, who have either been diagnosed with asthma or prescribed an inhaler, or who have been prescribed an inhaler as reliever medication.

...... School holds inhalers in school for use in an emergency. Please complete the form below to confirm that you consent to an emergency inhaler being used for your child.

CONSENT FORM: USE OF EMERGENCY SALBUTAMOL INHALER

- 1. I can confirm that my child has been diagnosed with asthma / has been prescribed an inhaler [delete as appropriate].
- 2. My child has a working, in-date inhaler, clearly labelled with their name, which will be kept in school for their use
- 3. In the event of my child displaying symptoms of asthma, and if their inhaler is not available or is unusable, I consent for my child to receive salbutamol from an emergency inhaler held by the school for such emergencies.

Signed:	Name(print):
Child's name:	Class:
Parent's address and contact detail:	
Telephone:	

features of an attack and any early warning signs;	ibe
Any other health conditions:	
When should inhaler be given?	
Are there any triggers for the asthma?	
What can be done to help prevent asthma attacks?	

Medications given at home (please include all medication)

Name of medicine	Is this prescribed for asthma?	Strength/Amount given	Times given

Medication to given in school

Is this prescribed for asthma?	Strength/Amount given	Times to be given
		Is this prescribed for asthma? Strength/Amount given

Heath care plan agreed by:

Parent/carer:		Date:
Healthcare professional: _		Date:
Member of school staff:		Date:
Parents/carers are responsand should update the sch		chool is aware of their child's needs
-	the child's care. Copies wi	required, it will be shared with staff in the school office and in
Plan reviewed		
Ву:	Designation:	Date:
Ву:	Designation:	Date:
Ву:	Designation:	Date:



Individual Health Care Plan

Diabetes

This plan relates to the health care needs provided to this school to the child / young person named below in relation to the safe management of the condition above. School staff involved in the day to day care of this child should be made familiar with the contents of this plan so they are aware of when they need to act, and what they and others need to do.

Child:	Date of Birth:
Class:	
Diabetes is a condition where body cannot use it properly.	the amount of glucose in the blood is too high because the
	esn't produce any insulin, or not enough insulin, to help glucose ulin that is produced does not work properly (known as insulin
resisiance).	Diabetes UK
Emergency Contact details:	
Contact 1	
Name:	
Relationship:	
Contact numbers:	
Contact 2	
Name:	
Relationship:	
Contact numbers:	
GP:	Contact number:
Specialist Dr/Nurse:	Contact number:

Type of diabetes, details of condition	
Any other health conditions/ Allergies etc:	
Blood glucose monitoring:	
Blood glucose target before eating	
Blood glucose target after eating	
Monitoring procedure	
Insulin administration regime	

Medications given at home (please include all medications given)

Name of medicine	Is this prescribed for diabetes?	Strength/Amount given	Times given

Medication to given in school

Name of medicine	Is this prescribed for diabetes?	Strength/Amount given	Times to be given

Emergency care

Signed:	Name:	Date:	
Action to be taken	if Hyper occurs		
Signs of Hyperglyo	caemia (Hyper) - blood sugars	s too high	
Action to be taken	if Hypo occurs		
	aoma (Hypo) bioca cagaio		
	aemia (Hypo) - blood sugars t		
Please fill in this section	on to give details of emergency pr	ocedures .	

Heath care plan agreed by:

Parent/carer:		Date:	—
Healthcare professional:		Date:	_
Member of school staff: _		_ Date:	
Parents/carers are responded and should update the s		school is aware of their child's needs	;
•	l in the child's care. Copies wi	f required, it will be shared with staff ill be kept in the school office and in	
Plan reviewed			
Ву:	Designation:	Date:	_
Ву:	Designation:	Date:	_
Ву:	Designation:	Date:	_



Individual Health Care Plan Epilepsy

This plan relates to the health care needs provided to this school to the child / young person named below in relation to the safe management of the condition above. School staff involved in the day to day care of this child should be made familiar with the contents of this plan so they are aware of when they need to act, and what they and others need to do.

Child:	Date of Birth:
Class:	
	re a tendency to have epileptic seizures. A seizure of intense electrical activity in the brain, which causes brain normally works.
Epile	epsy.org.uk
Emergency Contact details:	
Contact 1	
Name:	
Relationship:	
Contact 2	
Name:	
Relationship:	
Contact numbers:	

Condition/cause of epilepsy, anything that makes seizures more likely, early warning signs?		
any other health conditions:		
escription of Seizures:		
low long do seizures usually last?		
What happens after a seizure and how long does it usually take to recover?		

Medications given at home (please include all medications given)

Name of medicine	Is this prescribed for epilepsy?	Strength/Amount given	Times given

Medication to given in school

Name of medicine	Is this prescribed for epilepsy?	Strength/Amount given	Times to be given

Emergency care

Please fill in this section if your child has been prescribed er epilepsy.	nergency medication for their
Child's name:	
Class:	
Name and strength of medication	
When should the medication be given?	
How much medication should initially be given?	
What action should be taken if medication is given?	

Date Plan Completed

Signed:	Name:	Date:
Heath care plan agr	eed by:	
Parent/carer:		Date:
Healthcare professional:		Date:
Member of school staff:		Date:
and should update the so	chool as necessary. iewed yearly or more oft in the child's care. Copie	the school is aware of their child's needs en if required, it will be shared with staff in es will be kept in the school office and in
Plan reviewed		
By:	Designation:	Date:
By:	Designation:	Date:
Ву:	Designation:	Date:

FORM 2F

Individual Health Care Plan

Name of Condition:

This plan relates to the health care needs provided to this school to the child / young person named below in relation to the safe management of the condition above. School staff involved in the day to day care of this child should be made familiar with the contents of this plan so they are aware of when they need to act, and what they and others need to do.

Child:	Date of Birth:
Class:	<u> </u>
Summary description of medical and h	ealth complications associated with this condition:
Emergency Contact details:	
Contact 1	
Name:	
Contact numbers:	
Contact 2	
Name:	
Relationship:	
Contact numbers:	

Emergency care

Please fill in this section if your child has been prescribed emerge condition.	ency medication for managing this
Child's name:	
Class:	
Name and strength of medication	
When should the medication be given?	
How much medication should initially be given?	
What action should be taken if medication is given?	

Non-Emergency Care of this pupil's condition Likely source, cause or early warning signs associated with this condition that would signal to school staff that something requiring medical help might be about to happen? Any other health conditions to be considered alongside this condition: Description of how this condition affects this child/young person: How long do complications/attacks with this condition usually last? When this condition becomes a problem how long does it usually take to recover?

Medications given at home (please include all medications given)

Is this prescribed for this condition?	Strength/Amount or dose given	Times given
		Is this prescribed for this condition? Strength/Amount or dose given

Medication to given in school

Name of medicine	Is this prescribed for this condition?	Strength/Amount or dose to give	Times to be given

Date Plan Completed

Signed:	Name:	Date:	_
Heath care plan agreed b	oy:		
Parent/carer:		Date:	
Healthcare professional:		Date:	
Member of school staff:		Date:	
Parents/carers are responeeds and should updat	_	nat the school is aware of their child's ssary.	;
<u>-</u>	nvolved in the child's	e often if required, it will be shared wit care. Copies will be kept in the schoo ave a copy.	
Plan reviewed			
Ву:	Designation:	Date:	
Ву:	Designation:	Date:	
By:	Designation:	Date:	

CONSENT FORM USE OF EMERGENCY SALBUTAMOL INHALER

Compass School

Child showing symptoms of asthma / having asthma attack

- 1. I can confirm that my child has been diagnosed with asthma / has been prescribed an inhaler [delete as appropriate].
- 2. My child has a working, in-date inhaler, clearly labelled with their name, which they will bring with them to school every day.
- 3. In the event of my child displaying symptoms of asthma, and if their inhaler is not available or is unusable, I consent for my child to receive salbutamol from an emergency inhaler held by the school for such emergencies.

Signed:	Date:	
Name (print):		
Child's name:		
Class:		
Parent's address and contact details:		
Telephone:		
F-mail:		

SPECIMEN LETTER TO INFORM PARENTS OF EMERGENCY SALBUTAMOL INHALER USE

Child's name:	
Class:	
Date:	
Dear	,
[Delete as appropriate]	
This letter is to formally notify you thatbreathing today. This happened when	
A member of staff helped them to use their asthma inhaler.	
They did not have their own asthma inhaler with them, so a emergency asthma inhaler containing salbutamol. They were	•
Their own asthma inhaler was not working, so a member of asthma inhaler containing salbutamol. They were given	
[Delete as appropriate] Although they soon felt better, we would strongly advise that as soon as possible.	you have your seen by your own doctor
Yours sincerely	

Appendix



Guide to donning and doffing standard Personal Protective Equipment (PPE)

for health and social care settings

Donning or putting on PPE

Before putting on the PPE, perform hand hygiene. Use alcohol handrub or gel or soap and water. Make sure you are hydrated and are not wearing any jewellery, bracelets, watches or stoned rings.

Put on your plastic apron, making sure it is tied securely at the back.



Put on your surgical face mask, if tied, make sure securely tied at crown and nape of neck. Once it covers the nose, make sure it is extended to cover your mouth and chin.

Put on your eye protection if there is a risk of splashing.



Put on non-sterile nitrile gloves.



You are now ready to enter the patient area.



Doffing or taking off PPE

Surgical masks are single session use, gloves and apron should be changed between patients.

Remove gloves, grasp the outside of the cuff of the glove and peel off, holding the glove in the gloved hand, insert the finger underneath and peel off second glove.



Perform hand hygiene using alcohol hand gel or rub, or soap and water.



Snap or unfasten apron ties the neck and allow to fall forward.



Snap waste ties and fold apron in on itself, not handling the outside as it is contaminated, and put into clinical waste.

Once outside the patient room. Remove eye protection.



Perform hand hygiene using alcohol hand gel or rub, or soap and water.



Remove surgical mask.



Now wash your hands with soap and water.



Please refer to the PHE standard PPE video in the COVID-19 guidance collection: www.gov.uk/government/publications/covid-19-personal-protective-equipment-use-for-non-aerosol-generating-procedures

If you require the PPE for aerosol generating procedures (AGPs) please visit: www.gov.uk/government/publications/covid-19-personal-protective-equipment-use-for-aerosol-generating-procedures

PHE South East Health Protection Team:

Guidance for Childcare and Educational Settings in the Management of COVID-19

Version 1.0 Date 03/06/2020

Prevent the spread of infection by maintaining high standards of hygiene, including hand washing and regular cleaning and disinfection of surfaces. This will help prevent COVID-19 spreading in schools, as well as other infectious diseases.

If you have any infection control concerns or questions please call the Hampshire & Isle of Wight Health Protection Team on 03442253861. If the matter is not urgent you can also email <a href="https://hips.ncbi.nlm.ncbi

GUIDANCE: Visit gov.uk/coronavirus for detailed schools guidance and other guidance

TESTING: Visit nhs.uk/ask-for-a-coronavirus-test

